

VII - REFERENCES

- 1) Sambrook J, Fritsch EF, Maniatis T. Extraction, purification and analysis of messenger RNA from eukariotic cells. In : Molecular cloning, a laboratory manual, 2nd ed. Cold Spring Harbor, NY : Cold Spring Harbor Laboratory Press, 1989 : 7.28 - 7.52.
- 2) Petersen NE, Larsen LK, Nissen H, Jensen A, Petersen H *et al.* Improved RNase protection assay for quantifying LDL receptor mRNA ; estimation of analytical imprecision and biological variance in peripheral blood mononuclear cells. *Clin Chem* 1995 ; **41** : 1605 - 1613.
- 3) Saiki RK, Scharf S, Faloona F, Mullis KB, Horn CT, Erlich HA, Arnheim N. Enzymatic amplification of β -globine genomic sequences and restriction site analysis for diagnosis of sickle cell anemia. *Science* 1985 ; **230** : 1350 - 11354.
- 4) Kawasaki ES, Wang AM. Detection of gene expression. In : PCR technology, Erlich H.A., ed., New York : Stockton, 1989 : 89 - 97..
- 5) Radnsky R, Bucana CD, Ellis LM, Sanchez R, Cleary KR, Brigati DJ, Fidler IJ. A rapid colorimetric *in situ* messenger RNA hybridization technique for analysis of epidermal growth factor receptor in paraffin-embedded surgical specimens of human colon carcinomas. *Cancer Res* 1993 ; **53** : 937 - 943.
- 6) Murray GI. *In situ* PCR. *J Pathol* 1993 ; **169** : 187 - 188.
- 7) Fox JL, Hsu PH, Legator MS, Morrison LE, Seelig SA. Fluorescence *in situ* hybridization : powerful molecular tool for cancer prognosis. *Clin Chem* 1995 ; **41** : 1554 - 1559.
- 8) Stanley PE. A survey of more than 90 commercially available luminometers and imaging devices for low-light measurements of chemiluminescence and bioluminescence, including instruments for manual, automatic and specialized operation, for HPLC, LC, GLC and microtitre plates. Part 1 : descriptions. *J Biolumin Chemilumin* 1992 ; **7** : 77 - 108.

- 9) Van Doornum GJ, Buimer M, Prius M, Henquet CJ, Coutinho RA, Plier PK *et al.*
Detection of Chlamydia trachomatis infection in urine samples from men and
women by ligase chain reaction. *J Clin Microbiol* 1995 ; **33** : 2042 - 2047.
- 10) Duck P, Alvarado-Urbina G, Burdick B, Collier B. Probe amplifier system based on
chimeric cycling oligonucleotides. *Biotechniques* 1990 ; **9** : 142 - 148.
- 11) Walker GT, Little MC, Nadeau JG, Shank DD. Isothermal in vitro amplification of
DNA by a restriction enzyme/DNA polymerase system. *Proc Natl Acad Sci USA*
1992 ; **86** : 392 - 396.
- 12) Pearn J. The gene frequency of acute Werdnig-Hoffmann disease (SMA type I). A
total population survey in North East England. *J Med Genet* 1973 ; **10** : 260 - 265.
- 13) Pearn J. Incidence, prevalence, and gene frequency studies of chronic childhood
spinal muscular atrophy. *J Med Genet* 1978; **15** ; 409 - 413.
- 14) Czeizel A, Hamula J. A Hungarian study on Werdnig-Hoffmann disease. *J Med*
Genet 1989 ; **26** : 761 - 763.
- 15) Munsat TL, Workshop report. International SMA collaboration. *Neuromusc Disord*
1991 ; **1** : 81.
- 16) Lefebvre S, Bürglen L, Reboullet S *et al.* Identification and characterization of a
spinal muscular atrophy-determining gene. *Cell* 1995 ; **80** : 155 - 165.
- 17) Van der Steege G, Grootsholten PM, Van der Vlies *et al.* PCR-based DNA test to
confirm clinical diagnosis of autosomal recessive spinal muscular atrophy. *Lancet*
1995 ; **345** : 985 - 986.
- 18) Askanas V, Engel WK. New program for investigating adult human skeletal muscle
growth aneurally in tissue culture. *Neurology* 1975 ; **25** : 58 - 67.
- 19) Askanas V, Gallez-Hawkins EF. Synergistic influence of polypeptide growth factors
on cultured human muscle. *Arch Neurol* 1985 ; **42** : 749 - 752.
- 20) Ann DK, Wu MM, Huang T, Carlson DM, Wu R. Retinol-regulated gene expression
in human tracheobronchia epithelial cells. Enhanced expression of elongation

factor EF-1alpha. *J Biol Chem* 1988 ; **263** : 3546 - 3549.

21) Southern EM. Detection of specific sequences among DNA fragments separated by gel electrophoresis. *Mol Biol* 1975 ; **98** : 503 - 517.

Downloaded from www.jstor.org